



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC - Centre Technique Cuir Chaussure Maroquinerie

Parc Scientifique Tony Ganier - 4,rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr
Centre Technique Industriel - Loi du 22.07.1948 - Siren 775649726 - Code NAF 911 C - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Professional Training of the 11th of August 1992 and 24th of December 1996,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/1290/162/09/09/0366

To the following model of personal protective equipment :

- * protective glove against mechanical risks.
- * reference of the model : 106D'A' Quality
- * responsible for placing on the market :

Balaji Impex Pvt. Ltd.
2B, Raja Janmenjoy Road, Kolkata-700010
India

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following page of this certificate.

Drawn up in Lyon, on September 8th 2009

Issued by Lionel GAUDILLERE

CTC
4, rue Hermann Frenkel
69367 Lyon Cedex 07 - France
Tél. +33(0)4 72 76 10 10 - Fax +33(0)4 72 76 10 00
www.ctcgroupe.com

NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 233-62 of the French Code of Work

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01
 Reference : 106D'A' Quality
 Basic Model
 Dated : September 2009

Glove with natural grain leather and cotton textile

Available sizes :

9 10.5 11

Visual description :



Material :

	Colour	Material	Gauges	Thickness
PALM	Natural	Grain Leather		1.1 - 1.3mm
BACK	Natural	Cotton Textile		
	Natural	Grain Leather		1.1 - 1.3mm
	Natural	Grain Leather		1.1 - 1.3mm
	Natural	Grain Leather		1.1 - 1.3mm
LINING	Natural	Cotton		
CUFF	Natural	Cotton Textile		
BINDING	Natural	Cotton		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420: 2003 - General requirements for gloves and test methods
- * EN 388: 2003 - Protective glove against mechanical risks
- * Directive 2002/61/CE : - This product fulfilled the requirements given by the Directive.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		0907-10804/ 1 + 0907-10805/1 + 0908-11632/1	
EN 388		0907-10804/ 1 + 0907-10805/1	

Performance levels offered against mechanical risks (EN 388:2003) are :

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
3	1	4	3


The levels of performance have been measured on the palm

3. MARKING

Each glove is clearly marked with the following informations :

- * Logo of the authorized representative :
- * marking
- * reference of the model : 106D'A' Quality
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example :



Balaji Impex Pvt. Ltd.

MANUFACTURER'S TECHNICAL FILE

Reference of the product	:	106D'A' Quality
Technical file index	:	01
Last update	:	September 2009

IDENTIFICATION

Reference of the product : 106D'A' Quality
Technical file index : 01
Last update : September 2009

CE Type Examination Applicant :

Balaji Impex Pvt. Ltd.
2B, Raja Janmenjoy Road, Kolkata-700010
India
tel : (033) 24420350
fax : (033) 2442 3469

Manufacturer :

Balaji Impex Pvt. Ltd.
2B, Raja Janmenjoy Road, Kolkata-700010
India
tel: (033) 24420350
fax: (033) 2442 3469

European Representative :

Mr. Carl-Peter. Wegener
Postfach 3221, D 58690 Menden, Heimkerweg 74, D 58706 Menden, 0173/2617158
Germany
tel : 0049 (0) 173 261 7158
fax : 0049 (0) 2373 984 357

GLOVE DESCRIPTION

Glove description :

Glove with natural grain leather and cotton textile

Visual description:



Available sizes :

Minimum length of glove (mm)	Sizes
270	9
280	10.5
290	11

Glove constitution :

	Reference	Colour	Material	Surfacic mass	Gauges	Thikness
PALM	G1	Natural	Grain Leather			1.1 - 1.3mm
BACK		Natural	Cotton Textile			
	G1	Natural	Grain Leather			1.1 - 1.3mm
	G1	Natural	Grain Leather			1.1 - 1.3mm
	G1	Natural	Grain Leather			1.1 - 1.3mm
LINING		Natural	Cotton			
CUFF		Natural	Cotton Textile			
BINDING		Natural	Cotton			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 :2003

Dexterity : 5

PH of glove and lining is greater than 3.5 and lower than 9.5 : yes

Chromium VI lower than the detection limit : conform

Size : conform / not conform

Directive 2002/61/CE :

This product fulfilled the requirements given by the Directive 2002/61/CE (Azo dyes).

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2003

Protection offered	Performance levels
Abrasion resistance	3
Blade cut resistance	1
Tear strength resistance	4
Puncture resistance	3

TEST REPORTS

Laboratory	CTC Asia	CTC France	Other
EN 420		0907-10804/ 1 + 0907-10805/1 + 0908-11632/1	
EN 388		0907-10804/ 1 + 0907-10805/1	

MARKING - PACKAGING

Information printed on the glove :

Logo of the authorized representative :

Logo 


Glove's reference : 106D'A' Quality

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Marking example :



Method of marking on the glove :

Marking is done at the back or cuff of the gloves on both hands

Packaging :

As per buyer requirement

MEANS OF CONTROL

ISO 9001

INSTRUCTION FOR USE

Balaji Impex Pvt. Ltd.

2B, Raja Janmenjoy Road, Kolkata-700010

Glove reference : 106D'A' Quality

Available sizes : 9 10.5 11

Glove description :

Glove with natural grain leather and cotton textile

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the directive 89/686/CEE : innocuousness, comfort, solidity

It has been subject to a CE type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :


The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :



Application :

Mechanical hazard - EN 388



3143

Levels of performance

Abrasion resistance	3
Blade cut resistance	1
Tear resistance	4
Puncture resistance	3

Protection limit :

The protection against risks or hazards which are not mentioned on this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

Storage and cleaning notice

Keep in its original packaging , under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC - Centre Technique Cuir Chaussure Maroquinerie

Parc Scientifique Tony Ganier - 4, rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupes.com - www.ctc.fr
Centre Technique Industriel - Loi du 22.07.1948 - Siren 775649726 - Code NAF 911 C - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Professional Training of the 11th of August 1992 and 24th of December 1996,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE
0075/1290/162/09/09/0366 - EXT 01/09/09

To the following model of personal protective equipment :

* protective glove against mechanical risks.

* reference of the model : 501

* responsible for placing on the market :

Balaji Impex Pvt. Ltd.
2B, Raja Janmenjoy Road, Kolkata-700010
India

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following page of this certificate.

Drawn up in Lyon, on September 8th, 2009

Issued by Lionel GAUDILLERE



4, rue Hermann Frenkel
69367 Lyon Cedex 07 - France
Tél. +33(0)4 72 76 10 10 - Fax +33(0)4 72 76 10 00
www.ctcgroupes.com

NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 233-62 of the French Code of Work

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : 501

Major Variant of the model : 106D "A"

Dated : September 2009

Gloves with natural grain leather

Available sizes :

9 10 11

Visual description :



Material :

	Colour	Material	Gauges	Thickness
PALM	Natural	Grain Leather		1.1 - 1.3mm
BACK	Natural	Grain Leather		1.1 - 1.3mm
LINING				
CUFF				
BINDING	Natural	Cotton		



2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420: 2003 - General requirements for gloves and test methods
- * EN 388: 2003 - Protective glove against mechanical risks
- * Directive 2002/61/CE : - This product fulfilled the requirements given by the Directive.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		0907-10801/1+ 0907-10805/1	
EN 388		0907-10801/1+ 0907-10805/1	

Performance levels offered against mechanical risks (EN 388:2003) are :

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
3	1	2	3


The levels of performance have been measured on the palm

3. MARKING

Each glove is clearly marked with the following informations :

- * Logo of the authorized representative :
- * **CE** marking
- * reference of the model : 501
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example :



Balaji Impex Pvt. Ltd.

MANUFACTURER'S TECHNICAL FILE

Reference of the product	:	501
Technical file index	:	01
Last update	:	September 2009

IDENTIFICATION

Reference of the product :	:	501
Major Variant of the model :	:	106D "A"
Technical file index :	:	01
Last update :	:	September 2009

CE Type Examination Applicant :

Balaji Impex Pvt. Ltd.
2B, Raja Janmenjoy Road, Kolkata-700010
India
tel : (033) 24420350
fax : (033) 2442 3469

Manufacturer :

Balaji Impex Pvt. Ltd.
2B, Raja Janmenjoy Road, Kolkata-700010
India
tel: (033) 24420350
fax: (033) 2442 3469

European Representative :

Mr. Carl-Peter. Wegener
Postfach 3221, D 58690 Menden, Heimkerweg 74, D 58706 Menden, 0173/2617158
Germany
tel : 0049 (0) 173 261 7158
fax : 0049 (0) 2373 984 357

GLOVE DESCRIPTION

Glove description :

Gloves with natural grain leather

Visual description:



Available sizes :

Minimum length of glove (mm)	Sizes
260	9
270	10
280	11

Glove constitution :

	Reference	Colour	Material	Surfacic mass	Gauges	Thikness
PALM	G1	Natural	Grain Leather			1.1 -
BACK	G1	Natural	Grain Leather			1.1 -
LINING						
CUFF						
BINDING		Natural	Cotton			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 :2003

Dexterity : 5

PH of glove and lining is greater than 3.5 and lower than 9.5 : yes

Chromium VI lower than the detection limit : conform

Size : conform / not conform

Directive 2002/61/CE :

This product fulfilled the requirements given by the Directive 2002/61/CE (Azo dyes).

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2003

Protection offered	Performance levels
Abrasion resistance	3
Blade cut resistance	1
Tear strength resistance	2
Puncture resistance	3

TEST REPORTS

Laboratory	CTC Asia	CTC France	Other
EN 420		0907-10801/1+ 0907-10805/1	
EN 388		0907-10801/1+ 0907-10805/1	

MARKING - PACKAGING

Information printed on the glove :

Logo of the authorized representative :

Logo 


Glove's reference : 501

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Marking example :



Method of marking on the glove :

Marking is done at the back or cuff of the gloves on both hands

Packaging :

As per buyer requirement

MEANS OF CONTROL

ISO 9001

INSTRUCTION FOR USE

Balaji Impex Pvt. Ltd.

2B, Raja Janmenjoy Road, Kolkata-700010

Glove reference : 501

Available sizes : 9 10 11

Glove description :

Gloves with natural grain leather

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the directive 89/686/CEE : innocuousness, comfort, solidity

It has been subject to a CE type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :

Application :

Mechanical hazard - EN 388



3123

Levels of performance



Abrasion resistance	3
Blade cut resistance	1
Tear resistance	2
Puncture resistance	3

Protection limit :

The protection against risks or hazards which are not mentioned on this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

Storage and cleaning notice

Keep in its original packaging , under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC - Centre Technique Cuir Chaussure Maroquinerie

Parc Scientifique Tony Ganier - 4,rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupes.com - www.ctc.fr
Centre Technique Industriel - Loi du 22.07.1948 - Siren 775649726 - Code NAF 911 C - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Professional Training of the 11th of August 1992 and 24th of December 1996,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/1290/162/09/09/0367

To the following model of personal protective equipment :

- * protective glove against mechanical risks.
- * reference of the model : 106D"A/B" Quality
- * responsible for placing on the market :

Balaji Impex Pvt. Ltd.
2B, Raja Janmenjoy Road, Kolkata-700010
India

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following page of this certificate.

Drawn up in Lyon, on September 8th,2009

Issued by Lionel GAUDILLERE



4, rue Hermann Frenkel
69367 Lyon Cedex 07 - France
Tél. +33(0)4 72 76 10 10 - Fax +33(0)4 72 76 10 00
www.ctcgroupes.com

NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 233-62 of the French Code of Work

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01
 Reference : 106D"A/B" Quality
 Basic Model
 Dated : September 2009

Available sizes :

9 10.5 11

Visual description :



Material :

	Colour	Material	Gauges	Thickness
PALM	Natural	Grain Leather		1.0 - 1.1mm
BACK	Natural	Cotton Textile		
	Natural	Grain Leather		1.0 - 1.1mm
	Natural	Grain Leather		1.0 - 1.1mm
	Natural	Grain Leather		1.0 - 1.1mm
LINING	Natural	Cotton		
CUFF	Natural	Cotton Textile		
BINDING	Natural	Cotton		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420: 2003 - General requirements for gloves and test methods
- * EN 388: 2003 - Protective glove against mechanical risks
- * Directive 2002/61/CE : - This product fulfilled the requirements given by the Directive.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		0907-10788/1 + 0907-10788/2 + 0908-11632/1	
EN 388		0907-10788/1 + 0907-10788/2	

Performance levels offered against mechanical risks (EN 388:2003) are :

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
2	1	4	3

The levels of performance have been measured on the palm




3. MARKING

Each glove is clearly marked with the following informations :

- * Logo of the authorized representative :
- * **CE** marking
- * reference of the model : 106D "A/B" Quality
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example :



Balaji Impex Pvt. Ltd.

MANUFACTURER'S TECHNICAL FILE

Reference of the product	:	106D"A/B" Quality
Technical file index	:	01
Last update	:	September 2009

IDENTIFICATION

Reference of the product : 106D"A/B" Quality
Technical file index : 01
Last update : September 2009

CE Type Examination Applicant :

Balaji Impex Pvt. Ltd.
2B, Raja Janmenjoy Road, Kolkata-700010
India
tel : (033) 24420350
fax : (033) 2442 3469

Manufacturer :

Balaji Impex Pvt. Ltd.
2B, Raja Janmenjoy Road, Kolkata-700010
India
tel: (033) 24420350
fax: (033) 2442 3469

European Representative :

Mr. Carl-Peter. Wegener
Postfach 3221, D 58690 Menden, Heimkerweg 74, D 58706 Menden, 0173/2617158
Germany
tel : 0049 (0) 173 261 7158
fax : 0049 (0) 2373 984 357

GLOVE DESCRIPTION

Glove description :

Visual description:



Available sizes :

Minimum length of glove (mm)	Sizes
260	9
280	10.5
290	11

Glove constitution :

	Reference	Colour	Material	Surfacic mass	Gauges	Thikness
PALM	G2	Natural	Grain Leather			1.0 -
BACK		Natural	Cotton Textile			
	G2	Natural	Grain Leather			1.0 -
	G2	Natural	Grain Leather			1.0 -
	G2	Natural	Grain Leather			1.0 -
LINING		Natural	Cotton			
CUFF		Natural	Cotton Textile			
BINDING		Natural	Cotton			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 :2003

Dexterity : 5

PH of glove and lining is greater than 3.5 and lower than 9.5 : yes

Chromium VI lower than the detection limit : conform

Size : conform / not conform

Directive 2002/61/CE :

This product fulfilled the requirements given by the Directive 2002/61/CE (Azo dyes).

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2003

Protection offered	Performance levels
Abrasion resistance	2
Blade cut resistance	1
Tear strength resistance	4
Puncture resistance	3

TEST REPORTS

Laboratory	CTC Asia	CTC France	Other
EN 420		0907-10788/1 + 0907-10788/2 + 0908-11632/1	
EN 388		0907-10788/1 + 0907-10788/2	

MARKING - PACKAGING

Information printed on the glove :

Logo of the authorized representative :

Logo 


Glove's reference : 106D"A/B" Quality

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Marking example :



Method of marking on the glove :

Marking is done at the back or cuff of the gloves on both hands

Packaging :

As per buyer requirement

MEANS OF CONTROL

ISO 9001

INSTRUCTION FOR USE

Balaji Impex Pvt. Ltd.

2B, Raja Janmenjoy Road, Kolkata-700010

Glove reference : 106D"A/B" Quality

Available sizes : 9 10.5 11

Glove description :

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the directive 89/686/CEE : innocuousness, comfort, solidity

It has been subject to a CE type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE


Applicable standards :

The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :

Application :

Mechanical hazard - EN 388



2143

Levels of performance



Abrasion resistance	2
Blade cut resistance	1
Tear resistance	4
Puncture resistance	3

Protection limit :

The protection against risks or hazards which are not mentioned on this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

Storage and cleaning notice

Keep in its original packaging , under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC - Centre Technique Cuir Chaussure Maroquinerie

Parc Scientifique Tony Ganier - 4, rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 76 10 00 - E-Mail : ctclyon@ctcgrupe.com - www.ctc.fr
Centre Technique Industriel - Loi du 22.07.1948 - Siren 775649726 - Code NAF 911 C - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Professional Training of the 11th of August 1992 and 24th of December 1996,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE
0075/1290/162/09/09/0367 - EXT 01/09/09

To the following model of personal protective equipment :

- * protective glove against mechanical risks.
- * reference of the model : 106D/ST
- * responsible for placing on the market :

Balaji Impex Pvt. Ltd.
2B, Raja Janmenjoy Road, Kolkata-700010
India

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following page of this certificate.

Drawn up in Lyon, on September 8th, 2009

Issued by Lionel GAUDILLERE

CTC
4, rue Hermann Frenkel
69367 Lyon Cedex 07 - France
Tél. +33(0)4 72 76 10 10 - Fax +33(0)4 72 76 10 00
www.ctcgrupe.com

NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 233-62 of the French Code of Work

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01
 Reference : 106D/ST
 Major Variant of the model : 106D A/B
 Dated : September 2009

Available sizes :

9 10.5 11

Visual description :



Material :

	Colour	Material	Gauges	Thickness
PALM	Natural	Grain Leather		1.0 - 1.1mm
BACK	Natural	Cotton Textile		
	Natural	Split Leather		1.2 - 1.4mm
	Natural	Split Leather		1.2 - 1.4mm
	Natural	Split Leather		1.2 - 1.4mm
LINING	Natural	Cotton		
CUFF	Natural	Cotton Textile		
BINDING	Natural	Cotton		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420: 2003 - General requirements for gloves and test methods
- * EN 388: 2003 - Protective glove against mechanical risks
- * Directive 2002/61/CE : - This product fulfilled the requirements given by the Directive.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		0907-10795/1 + 0908-11632/1	
EN 388		0907-10795/1 + 0908-11632/1	

Performance levels offered against mechanical risks (EN 388:2003) are :

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
2	1	3	3


The levels of performance have been measured on the palm

3. MARKING

Each glove is clearly marked with the following informations :

- * Logo of the authorized representative :
- * **CE** marking
- * reference of the model : 106D/ST
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example :



Balaji Impex Pvt. Ltd.

MANUFACTURER'S TECHNICAL FILE

Reference of the product	:	106D/ST
Technical file index	:	01
Last update	:	September 2009

IDENTIFICATION

Reference of the product :	:	106D/ST
Major Variant of the model :	:	106D A/B
Technical file index :	:	01
Last update :	:	September 2009

CE Type Examination Applicant :

Balaji Impex Pvt. Ltd.
2B, Raja Janmenjoy Road, Kolkata-700010
India
tel : (033) 24420350
fax : (033) 2442 3469

Manufacturer :

Balaji Impex Pvt. Ltd.
2B, Raja Janmenjoy Road, Kolkata-700010
India
tel: (033) 24420350
fax: (033) 2442 3469

European Representative :

Mr. Carl-Peter. Wegener
Postfach 3221, D 58690 Menden, Heimkerweg 74, D 58706 Menden, 0173/2617158
Germany
tel : 0049 (0) 173 261 7158
fax : 0049 (0) 2373 984 357

GLOVE DESCRIPTION

Glove description :

Visual description:



Available sizes :

Minimum length of glove (mm)	Sizes
260	9
280	10.5
290	11

Glove constitution :

	Reference	Colour	Material	Surfacic mass	Gauges	Thikness
PALM	G2	Natural	Grain Leather			1.0 -
BACK		Natural	Cotton Textile			
	S1	Natural	Split Leather			1.2 -
	S1	Natural	Split Leather			1.2 -
	S1	Natural	Split Leather			1.2 -
LINING		Natural	Cotton			
CUFF		Natural	Cotton Textile			
BINDING		Natural	Cotton			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 :2003

Dexterity : 5
 PH of glove and lining is greater than 3.5 and lower than 9.5 : yes
 Chromium VI lower than the detection limit : conform
 Size : conform / not conform

Directive 2002/61/CE :

This product fulfilled the requirements given by the Directive 2002/61/CE (Azo dyes).

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2003

Protection offered	Performance levels
Abrasion resistance	2
Blade cut resistance	1
Tear strength resistance	3
Puncture resistance	3


TEST REPORTS

Laboratory	CTC Asia	CTC France	Other
EN 420		0907-10795/1 + 0908-11632/1	
EN 388		0907-10795/1 + 0908-11632/1	

MARKING - PACKAGING

Information printed on the glove :

Logo of the authorized representative :

Logo 


Glove's reference : 106D/ST

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Marking example :



Method of marking on the glove :

Marking is done at the back or cuff of the gloves on both hands

Packaging :

As per buyer requirement

MEANS OF CONTROL

ISO 9001

INSTRUCTION FOR USE

Balaji Impex Pvt. Ltd.

2B, Raja Janmenjoy Road, Kolkata-700010

Glove reference : 106D/ST

Available sizes : 9 10.5 11

Glove description :

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the directive 89/686/CEE : innocuousness, comfort, solidity

It has been subject to a CE type Examination performed by :


C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :

Application :
Mechanical hazard - EN 388



2133

Levels of performance



Abrasion resistance	2
Blade cut resistance	1
Tear resistance	3
Puncture resistance	3

Protection limit :

The protection against risks or hazards which are not mentioned on this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

Storage and cleaning notice

Keep in its original packaging , under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC - Centre Technique Cuir Chaussure Maroquinerie

Parc Scientifique Tony Ganier - 4, rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr
Centre Technique Industriel - Loi du 22.07.1948 - Siren 775649726 - Code NAF 911 C - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Professional Training of the 11th of August 1992 and 24th of December 1996,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/1290/162/09/09/0368

To the following model of personal protective equipment :

- * protective glove against mechanical risks.
- * reference of the model : 105C
- * responsible for placing on the market :

Balaji Impex Pvt. Ltd.
2B, Raja Janmenjoy Road, Kolkata-700010
India

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following page of this certificate.

Drawn up in Lyon, on September 8th, 2009

Issued by Lionel GAUDILLERE

4, rue Hermann Frenkel
69367 Lyon Cedex 07 - France
Tel. +33(0)4 72 76 10 10 - Fax +33(0)4 72 76 10 00
www.ctcgroupe.com

NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 233-62 of the French Code of Work

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01
 Reference : 105C
 Basic Model
 Dated : Septembre

Available sizes :

9 10.5 11

Visual description :



Material :

	Colour	Material	Gauges	Thikness
PALM	Natural	Split Leather		1.2 - 1.4mm
BACK	Natural	Cotton Textile		
	Natural	Split Leather		1.2 - 1.4mm
	Natural	Split Leather		1.2 - 1.4mm
	Natural	Split Leather		1.2 - 1.4mm
LINING	Natural	Cotton		
CUFF	Natural	Cotton Textile		
BINDING	Natural	Cotton		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420: 2003 - General requirements for gloves and test methods
- * EN 388: 2003 - Protective glove against mechanical risks
- * Directive 2002/61/CE : - This product fulfilled the requirements given by the Directive.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		0907-10790/1 + 0908-1162/1	
EN 388		0907-10790/1	

Performance levels offered against mechanical risks (EN 388:2003) are :

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	3	4


The levels of performance have been measured on the palm

3. MARKING

Each glove is clearly marked with the following informations :

- * Logo of the authorized representative :
- * **CE** marking
- * reference of the model : 105C
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example :



Balaji Impex Pvt. Ltd.

MANUFACTURER'S TECHNICAL FILE

Reference of the product	:	105C
Technical file index	:	01
Last update	:	Septembre

IDENTIFICATION

Reference of the product : : 105C
Technical file index : : 01
Last update : : Septembre

CE Type Examination Applicant :

Balaji Impex Pvt. Ltd.
2B, Raja Janmenjoy Road, Kolkata-700010
India
tel : (033) 24420350
fax : (033) 2442 3469

Manufacturer :

Balaji Impex Pvt. Ltd.
2B, Raja Janmenjoy Road, Kolkata-700010
India
tel: (033) 24420350
fax: (033) 2442 3469

European Representative :

Mr. Carl-Peter. Wegener
Postfach 3221,D 58690 Menden,Heimkerweg 74, D 58706 Menden, 0173/2617158
Germany
tel : 0049 (0) 173 261 7158
fax : 0049 (0) 2373 984 357

GLOVE DESCRIPTION

Glove description :

Visual description:



Available sizes :

Minimum length of glove (mm)	Sizes
270	9
280	10.5
290	11

Glove constitution :

	Reference	Colour	Material	Surfacic mass	Gauges	Thickness
PALM	S1	Natural	Split Leather			1.2 -
BACK		Natural	Cotton			
	S1	Natural	Split Leather			1.2 -
	S1	Natural	Split Leather			1.2 -
	S1	Natural	Split Leather			1.2 -
LINING		Natural	Cotton			
CUFF		Natural	Cotton			
BINDING		Natural	Cotton			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 :2003

Dexterity : 5

PH of glove and lining is greater than 3.5 and lower than 9.5 : yes

Chromium VI lower than the detection limit : conform

Size : conform / not conform

Directive 2002/61/CE :

This product fulfills the requirements given by the Directive 2002/61/CE (Azo dyes).

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2003

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	3
Puncture resistance	4

TEST REPORTS

Laboratory	CTC Asia	CTC France	Other
EN 420		0907-10790/1 + 0908-1162/1	
EN 388		0907-10790/1	

MARKING - PACKAGING

Information printed on the glove :

Logo of the authorized representative :

Logo 


Glove's reference : 105C

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Marking example :



Method of marking on the glove :

Marking is done at the back or cuff of the gloves on both hands

Packaging :

As per buyer requirement

MEANS OF CONTROL

ISO 9001

INSTRUCTION FOR USE

Balaji Impex Pvt. Ltd.

2B, Raja Janmenjoy Road, Kolkata-700010

Glove reference : 105C

Available sizes : 9 10.5 11

Glove description :

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the directive 89/686/CEE : innocuousness, comfort, solidity

It has been subject to a CE type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :

Application :

Mechanical hazard - EN 388



4134

Levels of performance

CE

Abrasion resistance	4
Blade cut resistance	1
Tear resistance	3
Puncture resistance	4

Protection limit :

The protection against risks or hazards which are not mentioned on this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

Storage and cleaning notice

Keep in its original packaging , under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.