

Jain's[®]
uPVC Window &
Door System

Solutions for a
Better Life



Upgrade your home & workplace with *Jain's* premium
uPVC doors & windows

Energy Saving
Doors & Windows

Giving your
home a new look

about us


We specialize in extruding high-performance uPVC profiles for windows and doors, offering modern designs with exceptional durability and aesthetic appeal. Our profiles are tailored for tropical climates, incorporating special additives to enhance their performance.

At *Jain's*, we are committed to superior craftsmanship of fabrication in doors and windows and also dedicated to promoting environmental responsibility through our operations. We provide a wide range of solutions for sliding windows and doors, with design options suitable for interiors, balconies, and various other applications.

Our elegant window designs not only enhance your home's exterior but also provide protection against extreme weather, noise, dust, and pollution. Additionally, our lead-free uPVC profiles offer benefits such as durability, minimal maintenance, and improved safety and security while helping to manage energy costs.

The Definition of modern fenestration

Unplasticized Polyvinyl Chloride (uPVC) is the global standard for high performance window framing. Engineered without plasticizers, this rigid polymer is chemically resistant, thermally non conductive and structurally superior to traditional aluminium or wood. It offers the perfect balance of strength, sustainability and style.



Why should you choose uPVC



DURABILITY

Jain's uPVC windows do not warp, twist or split. Our profiles are treated with special additives, thereby making it extremely long lasting.



CUSTOMIZATION

Jain's uPVC windows provides you a very wide range of design customization as per your needs and specifications.



Cost Effectiveness

Jain's uPVC windows are extremely affordable as compared to competitors, easy to install and maintain. They are virtually dirt resistant and easy to clean with soapy water due to usage of European Quality import materials for extrusion.



UV resistance & Aesthetics

Jain's uPVC windows offer 100% UV resistance with the perfect amount of TIO2 and special additives, which helps in retaining whiteness against exposure to UV rays. and also enhance the looks of your windows.



Extreme weather Conditions

Jain's uPVC windows are specially developed keeping in mind the tropical weather condition of India. Continuous exposure to sun, rain, heavy cyclone wind and moistures can not affect the window quality.



Sound & thermal insulation

Jain's uPVC windows ensure robust thermal and sound insulation with diverse range of customizable glasses and maximum air sealability which helps to minimize electricity cost by 30%.



Fire Retardant

Jain's uPVC windows are fire retardant. During fire, once the source of fire is removed, a carbonaceous layer is formed preventing supply of oxygen and stops the spread.



IMPACT RESISTANCE

Jain's uPVC Windows are uniquely designed and specially formulated to withstand high impacts during handling and installation.



Anti Pollution

Jain's uPVC windows are precisely engineered, multipoint seals of our uPVC window systems are designed to create an air-tight closure restricting pollutants like dust, smoke, pollens etc.

Key Differentiator



Lead Free Profile



100% Recyclable Green Profile



High Wall Thickness



Large Reinforcement space



Best in Class Hardware



Highly Engineered Product



Usage of weather seal



Better Drainage



Double bevel chamfer



Fine Craftsmanship



Industry's Best Warranty



365 days Customer Support

Material Comparison Matrix

Property	uPVC	Aluminum	Wood
Thermal Insulation	Excellent (Non-conductive)	Poor (Conductive metal)	Good
Maintenance	Zero (Wipe clean)	Low	High (Painting/Varnishing)
Cost Efficiency	High	Moderate	Low (Expensive)
Weather Resistance	High (UV/Salt/Water)	Medium (Can pit/corrode)	Low (Rot/Termites)
Corner Strength	Fusion Welded	Mechanically Screwed	Glued/Nailed

Our Range

Casement Windows

Jain's uPVC casement windows features a timeless design that never goes out of style. They are on epitome of breakthrough illustration in a suitable for all types of architecture from traditional to ultra modern made using high quality durable materials. They offer smooth operations and remain maintenance free throughout years.



Popular Typology

Width

Mini. - 600mm
Max. - as per
customer requirement

Height

Mini. - 600mm
Max. - 2500mm

Glass Thickness


5mm - 20mm

Seal Requirements


90mm



OPENABLE 1 PALLA



OPENABLE 2 PALLA



OPENABLE 3 PALLA



Sliding Windows

Jain's believes in creating windows that bring in the sunlight, the wider they are, the brighter the room is. Sliding Windows cover relatively larger area to make ventilation an exhilarating experience. These windows are slightly raised above the track to facilitate slick sliding.

Width

Mini. - 600mm
Max. - as per
customer requirement

Height

Mini. - 600mm
Max. - 2500mm

Glass Thickness

5mm - 20mm


Seal Requirements

100mm


Popular Typology



2 TRACK 2 SHUTTERS SLIDING



2.5 TRACK 2 GLASS SHUTTER 1 MESH SHUTTER



3 TRACK 3 SHUTTERS SLIDING

Our Range

Top Hung Windows


If you seek a simple yet attractive windows solution *Jain's* top hang windows are an ideal choice. Designed to occupy minimum space with a modern touch. These are easy to operate, maintain and clean.



Popular Typology	Width	Height	Glass Thickness	Seal Requirements
	Mini. - 600mm Max. - 1500mm	Mini. - 600mm Max. - 1500mm	5mm - 20mm	90mm



1 PALLA WITH TOPHUNG



TOPHUNG WITH EXHAUST FAN POSITION



Bay Windows

Jain's uPVC Bay windows are a popular choice for their durability, energy efficiency and visual appeal. They maximize natural light & provide panoramic view. It is available in various styles and can be customised to suit specific design and structure requirements.

Width	Height	Glass Thickness	Seal Requirements
Mini. - 600mm Max. - as per customer require	Mini. - 600mm Max. - as per customer require	5mm - 20mm	100mm

Popular Typology



BAY WINDOW

Our Range


French Windows

French windows add timeless charm of elegance to any space design to enhance aesthetics. They allow abundant natural light improved ventilation and wider opening for easy access creating a bright atmosphere.




Popular Typology

Width	Height	Glass Thickness	Seal Requirements
Mini. - 600mm 600mm Max. - as per customer requirement	Mini. - 600mm Max. -2500mm	5mm - 20mm	90mm



French Windows



French Windows with Fixed




Combination Windows


Our uPVC combination windows represent the ultimate fusion of versatility and performance. By seamlessly integrating different window types such as casement, sliding, and fixed into a single, robust frame, we offer a bespoke architectural solution that addresses multiple needs at once.

Width	Height	Glass Thickness	Seal Requirements
Mini. - 600mm Max. - as per customer requirement	Mini. - 600mm Max. - as per customer require	5mm - 20mm	100mm

Popular Typology



OPENABLE 1 PALLA WITH FIXED



OPENABLE 1 PALLA WITH TOP HUNG & FIXED

Our Range


Fixed Windows

Fixed windows are often known as picture windows, which means they can't be opened or closed. They are designed to remain fixed offering uninterrupted views and manual daylight. They are ideal for space where visual appeal is the priority.




Width	Height	Glass Thickness	Seal Requirements
as per customer requirement	as per customer require	5mm - 20mm	90mm

Popular Typology



Fixed Window



Fixed Window with Georgian Bar




Louvers Windows


Our uPVC Louver windows are the perfect blend of functional airflow and modern privacy. Designed with precision-angled slats, these windows allow for continuous natural ventilation while protecting your interiors from direct sunlight and light rain.

Width	Height	Glass Thickness	Seal Requirements
Mini. - 450mm Max. - 1000mm	Mini. - 450mm Max. - 500mm	5mm Frosted	90mm

Popular Typology



Fixed Louvers Windows



Adjustable Louvers Windows

Clear Perspectives : Glass options



A comprehensive range of glass options to meet the highest standards of performance, aesthetics and functionality. Choose from a variety of options offering unique benefits such as thermal insulation, noise reduction and UV protection, to enhance comfort, safety and beauty of your projects.



Toughened

Heat-treated for extra strength and safety, ideal for high-impact resistance.



Frosted:

Translucent finish for privacy while allowing soft, diffused light.



Double glazed:

Two glass panes with an insulating air layer for improved thermal efficiency.



Tinted :

Reduces glare and heat, adding a subtle color tint for solar control.



Laminated:

Two glass layers bonded with a plastic film, offering enhanced safety and sound insulation.



Acoustic laminated:

Acoustic laminated glass features a sound-dampening layer that reduces noise infiltration, creating a quieter indoor space.




Double Glazed Laminated:

Combines the benefits of double glazing with laminated safety for maximum insulation and security



Switch Glass:

Smart glass that changes from clear to opaque at the flick of a switch for instant privacy.



Jain's EDGE

END-TO-END SOLUTION

Success is Through
Commitment



Consultation
Visit



Survey



Manufacturing



Customised
Designs



Delivery &
Installation



Cleaning &
Handover



After-sales
Support



Uncompromising Quality at Every Stage

Promoters Vision

We aim to lead the uPVC industry through quality, innovation, durability and consistent execution.

- A.R. Basu



भारत सरकार का वित्त विभाग
CENTRAL BOARD OF INDIRECT TAXES AND CUSTOMS
Board
MINISTRY OF FINANCE
1105 WEST
GOVERNMENT OF INDIA

T2 MSME **आर्थिक सहायता प्राप्त उद्यमों के लिए**
AUTHORIZED ECONOMIC OPERATOR MSME CERTIFICATE

AEO
भारतीय वित्त विभाग
INDIAN CUSTOMS

प्रमाण-पत्र संख्या Certificate Number : TA/AAEF/0667K2F254
कंपनी का नाम Name of Company : M/s. EURO EXTRUSIONS
Name of Company : 11, Ananda Path Road, Kolkata-700014

IEC Number 0215010066

अंतरिम प्रमाण पत्र
अ.स.ओ. (अ.स.ओ. प्रमाण पत्र)
र. ई. ओ. कार्यक्रम प्रबंधक/ प्रमुख अधिकारी
AEO Programme Manager/ Pr. Commissioner
अंतरिम वित्त विभाग
Directorate of International Customs

मार्ग : 1105
फोन : 11050001
फैक्स : 11050002
वेबसाइट : 11050003

ISO 9001:2015

Certificate
This is to certify that
EURO EXTRUSIONS
FACTORY TOLL AND POST JALPAIGI, P.O. JALPAIGI, DIST. PURBA BANGAL, WEST BENGAL, INDIA

ISO 9001:2015
(Quality Management System)

For the following scope of activities:
MANUFACTURE OF PVC PROFILES FOR DOORS & FRAMES, uPVC PROFILES FOR DOORS & WINDOWS, CEILING & WALL PANELS, FURNITURE MATERIALS, SOLID WPC PROFILES FOR DOORS & FRAMES & PVC FLOORING

Certification No:UK-ARCT-25-14310999
Date of Initial Registration: 23/04/2026
1st Surveillance Audit Due: 22/04/2027
2nd Surveillance Audit Due: 23/04/2028
Re-certification Due: 22/04/2029

United Kingdom Accreditation Forum Cert Limited
Add: 110 Theahey Rd, Nine Elm, London SW85L, United Kingdom
Email: info@ukafcert.org.uk Company No: 16637500

Certificate of Compliance
We hereby declare that the technical file of all the items in each product group complies with the requirements of Environmental Design for Machinery Directive 2012/18/EC

Manufacturer:
NAME: EURO EXTRUSIONS
FACTORY TOLL AND POST JALPAIGI, P.O. JALPAIGI, DIST. PURBA BANGAL, WEST BENGAL, INDIA

PRODUCTS: MANUFACTURE OF PVC PROFILES FOR DOORS & FRAMES, uPVC PROFILES FOR DOORS & WINDOWS, CEILING & WALL PANELS, FURNITURE MATERIALS, SOLID WPC PROFILES FOR DOORS & FRAMES & PVC FLOORING.

Complies with the requirements applicable to it:
The quality system file has been passed, reviewed and is subject to continuous surveillance according to directive on Environmental Design for Machinery Directive 2012/18/EC.
This certificate is issued under the following conditions:
1. The certificate is valid for the duration of the certificate.
2. The certificate holder must ensure that the technical file remains up-to-date and available for inspection for the duration of the certificate.
3. The certificate holder must ensure that the products continue to comply with the requirements of the applicable product type(s) including design and manufacturing and in relation to the existing scope of application.

Statements:
This Certificate declares that the products type I listed described above complies with the mentioned above European Standard(s).

Remarks:
This certificate of compliance is based on the evaluation of a sample of the above mentioned products. It does not imply and does not constitute an endorsement of the products. The certificate holder is responsible for the maintenance of the technical file and for the compliance of the products with the requirements of the applicable product type(s) including design and manufacturing and in relation to the existing scope of application.

Certification No:UK-ARCT-25-143110999
Date of Initial Registration: 23/04/2026
1st Surveillance Audit Due: 22/04/2027
2nd Surveillance Audit Due: 23/04/2028
Re-certification Due: 22/04/2029

United Kingdom Accreditation Forum Cert Limited
Add: 110 Theahey Rd, Nine Elm, London SW85L, United Kingdom
Email: info@ukafcert.org.uk Company No: 16637500

Certificate of Compliance
This is to state that the above mentioned product or products comply with the requirements of the European Union (EU) 2011/65/EC of the European Parliament and of the Council on the restriction of use of certain hazardous substances.

Manufacturer:
NAME: EURO EXTRUSIONS
FACTORY TOLL AND POST JALPAIGI, P.O. JALPAIGI, DIST. PURBA BANGAL, WEST BENGAL, INDIA

PRODUCTS: MANUFACTURE OF PVC PROFILES FOR DOORS & FRAMES, uPVC PROFILES FOR DOORS & WINDOWS, CEILING & WALL PANELS, FURNITURE MATERIALS, SOLID WPC PROFILES FOR DOORS & FRAMES & PVC FLOORING.


This is to state that the above mentioned product or products comply with the requirements of the European Union (EU) 2011/65/EC of the European Parliament and of the Council on the restriction of use of certain hazardous substances (RoHS) as follows:
Lead (Pb) < 100 ppm, Mercury (Hg) < 100 ppm, Cadmium (Cd) < 100 ppm, Hexavalent Chromium (Cr VI) < 100 ppm, Polybrominated Diphenyl Ether (PBDE) < 1000 ppm.

Statements:
This Certificate declares that the products type I listed above complies with the mentioned above European Standard(s).

Remarks:
This certificate of compliance is based on the evaluation of a sample of the above mentioned products. It does not imply and does not constitute an endorsement of the products. The certificate holder is responsible for the maintenance of the technical file and for the compliance of the products with the requirements of the applicable product type(s) including design and manufacturing and in relation to the existing scope of application.

Certification No:UK-ARCT-25-143110991
Date of Initial Registration: 23/04/2026
1st Surveillance Audit Due: 22/04/2027
2nd Surveillance Audit Due: 23/04/2028
Re-certification Due: 22/04/2029

United Kingdom Accreditation Forum Cert Limited
Add: 110 Theahey Rd, Nine Elm, London SW85L, United Kingdom
Email: info@ukafcert.org.uk Company No: 16637500



Contact us:

 Jain's Profile

 www.jainprofile.com

 sales@jainprofile.com